

Rayleigh House  
 21 Queen Anne's Place, Bush Hill Park  
 North London EN1 2QB  
 Tel: 020 8360 5988 Fax: 020 8360 2640  
 E-mail: amsac@btinternet.com  
 Web-site: www.amsacoustics.co.uk

Partners:  
 P. W. Barnett MIOA, MASA, F.Inst. SCE, MAES  
 J. L. Goddard (administration)  
 Associates:  
 H.M. Goddard AMIOA, M.Inst. SCE, MAES  
 P.N. Huffer B.Sc, AMIOA

5<sup>th</sup> January 2001

J. Rattlidge Esq.,  
 EUROPEAN SAFETY SYSTEMS LTD.,  
 Unit 18 & 20 Impress House,  
 Mansell Road,  
 Acton,  
 London,  
 W3 7QH.


Dear John,

Following your letter dated 2<sup>nd</sup> January 2001, here follows the addition data as requested in items B and C.

L/S Model Code	Maximum SPL (1m @ Maximum Tapping)												
	Frequency Hz							125Hz-8kHz		250Hz-4kHz		Speech Shaped	
	125	250	500	1k	2k	4k	8k	dB	dBA	dB	dBA	dB	dBA
BExL15D	63	69	96	106	108	103	95	111	112	112	113	107	107
BExL25D	63	86	98	108	109	105	98	113	114	114	115	109	109
DB4/15W	52	67	89	103	102	93	91	106	107	107	108	103	103
DB4/25W	56	73	94	105	106	96	94	109	110	111	111	106	106
HS-15ExmN(T)	See report									111	112	106	105
DSP-25ExmN(T)	See report									112	113	104	104

Please note that sensitivity at full power has no meaning since it is defined as dB @1m, 1W.

Yours sincerely,



T. Stacey B.Sc., AMIOA